

Off Road 2022 Pre View





MX250 EURO

Nicholas Lapucci #21



MX2T EURO

Maximilian Spies #7





Indice

Index

BRAND *PAGE*

<i>BETAMOTOR</i>	<i>1</i>
<i>CAGIVA</i>	<i>7</i>
<i>COBRA</i>	<i>8</i>
<i>FANTIC</i>	<i>9</i>
<i>GAS GAS</i>	<i>10</i>
<i>HONDA</i>	<i>31</i>
<i>HUSABERG</i>	<i>57</i>
<i>HUSQVARNA</i>	<i>62</i>
<i>KAWASAKI</i>	<i>85</i>
<i>KTM</i>	<i>104</i>
<i>SHERCO</i>	<i>129</i>
<i>SUZUKI</i>	<i>133</i>
<i>TM RACING</i>	<i>149</i>
<i>YAMAHA</i>	<i>153</i>





OFF-ROAD

BETAMOTOR

2T 125cc

PISTONE BETAMOTOR RR 2T 125 '18-'22 D. 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2661	54.0	29.45	58.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2661A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.96	PC2661B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.97	PC2661C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

OFF-ROAD

BETAMOTOR

2T 200cc

PISTONE BETAMOTOR RR 2T 200 '18-'22 D. 62 VERS. OIL DOTS

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2883	62.0	30.0	65.0	

New!

Variant	Item	Qty	Component Code	Component Description
A 61.95	PC2883A	1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45
B 61.96	PC2883B	1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45
C 61.97	PC2883C	1	SP160500100KBI	PIN Ø 16 X 50 X 10 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		2	N0620010024530KBI	SEGM. G30KB AC 62 X 1 X 2,45

PISTONE BETAMOTOR RR 250 2T '13-'15 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2481	66.4	38.0	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2481A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2481B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2481C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2481D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE BETAMOTOR RR 2T 250 '18-'22 D. 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2775	66.4	38.0	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.35	PC2775A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.36	PC2775B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.37	PC2775C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE BETAMOTOR RR 2T 300 '13-'17 D. 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2485	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2485A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2485B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2485C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2485D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE BETAMOTOR RR 2T 300 '18-'21 D. 72 - FORGIATO - VERS. OIL DOTS

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2877	72.0	38.0	79.0	

New!

Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2877A	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
B 71.95	PC2877B	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
C 71.96	PC2877C	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
D 71.97	PC2877D	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE

PISTONE BETAMOTOR RR 2T 300 '18-'21 D. 72 - FUSO - VERS. OIL DOTS

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2876	72.0	38.0	79.0	

New!

Variant	Item	Qty	Component Code	Component Description
A 71.95	PC2876A	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
B 71.96	PC2876B	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
C 71.97	PC2876C	2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE

PISTONE BETAMOTOR RR 2T 300 '21-'22 D. 73 VERS. OIL DOTS

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2888	73.0	38.0	79.0	

New!

Variant	Item	Qty	Component Code	Component Description
A 72.95	PC2888A	2	N0730010026530KBI	SEGM. G30KB AC 73 x 1 x 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
B 72.96	PC2888B	2	N0730010026530KBI	SEGM. G30KB AC 73 x 1 x 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
C 72.97	PC2888C	2	N0730010026530KBI	SEGM. G30KB AC 73 x 1 x 2,65
		1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE

PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2704	79.0	28.7	66.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
78.95	PC27047895	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.96	PC27047896	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.97	PC27047897	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.98	PC27047898	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7

PISTONE CAGIVA CROSS 125 CC.1984-1988 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1759	56.0	30.0	65.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
56	PC1759000	1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
56.5	PC1759050	1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
57	PC1759100	1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

PISTONE COBRA CX50 VENOM ENGINE TSB 0518 Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2576	39.0	23.45	45.9	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 38.95	PC2576A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
B 38.96	PC2576B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
C 38.97	PC2576C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
D 38.98	PC2576D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65

PISTONE COBRA MINI-CROSS Ø 39

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1774	39.0	23.45	45.9	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 38.95	PC1774A	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
B 38.96	PC1774B	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
C 38.97	PC1774C	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
D 38.98	PC1774D	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
H 38.99	PC1774H	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65
I 39	PC1774I	1	SP120315080HI	PIN D. 12 X 31.5 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0390010016530KBI	SEGM. G30KB AC 39 x 1 x 1,65

PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ / WR 125 '05 -'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1821	54.0	28.5	58.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1821A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1821B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1821C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1821D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2110	39.5	21.7	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
AB 39.46	PC2110AB	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
CD 39.47	PC2110CD	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
EF 39.48	PC2110EF	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
GH 39.49	PC2110GH	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2047	45.0	21.6	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
O 44.95	PC20470	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
A 44.96	PC2047A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.97	PC2047B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.98	PC2047C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.99	PC2047D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
E 45	PC2047E	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

PISTONE KTM SX - EXC 85 '03 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1852	47.0	24.0	53.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1852A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1852B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1852C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1852D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
E 46.98	PC1852E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE KTM SX - EXC 85 '09 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2805	47.0	23.8	51.5	RACING

New!

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC2805A	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
B 46.95	PC2805B	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
C 46.96	PC2805C	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
D 46.97	PC2805D	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
E 46.98	PC2805E	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE

PISTONE GAS GAS EC/MC/MX 125 2004-2012 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2482	54.0	28.0	58.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2482A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2482B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2482C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC2482D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.99	PC2482E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE GAS GAS EC/MC/MX 125 2013-2015 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2483	54.0	28.6	58.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2483A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2483B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2483C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC2483D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.99	PC2483E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE GAS GAS TXT 125 2002-2022 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2735	54.0	29.5	63.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2735A	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2735B	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2735C	1	SP160450095KBI	PIN Ø 16 X 45 X 9.5 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		2	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers. 2 segm Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2472	54.0	29.5	58.1	STANDARD



2 segmenti semi-trapezoidali / 02 half-keystone rings

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1770	54.0	29.5	58.2	STANDARD



1 segmento rettangolare / 1
rectangular ring

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1770A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1770B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1770C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1770D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC1770E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. segm 0.8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2797	54.0	29.5	58.2	RACING



1 SEGM. RETT./1 RECT. RING h. 0.8 mm.

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2797A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2797B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2797C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
D 53.97	PC2797D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
E 53.98	PC2797E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 HK RING RACING version

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2367	54.0	29.5	58.2	RACING



RACING VERSION - 1 segmento semi-trapezoidale / 1 half-keystone ring

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2367A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2367B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2367C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2367D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2367E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 SEGM. RETT. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2874	54.0	29.5	58.2	RACING EVO

New!

1 SEGM. RETT. / 1 RECTANGULAR
RING

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2874A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC2874B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC2874C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC2874D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC2874E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2875	54.0	29.5	58.2	RACING EVO

New!

RACING EVO - 1 SEGM. TRAP. -
RIPORTO OIL DOTS / 1 HK RING - OIL
DOTS COATING

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2875A	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
B 53.95	PC2875B	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
C 53.96	PC2875C	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
D 53.97	PC2875D	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
E 53.98	PC2875E	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers.Testa 12°

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2798	54.0	29.5	58.2	RACING



1 SEGM. SEMITRAP./ 1 HALF-KEYSTON RING1 - TESTA/HEAD 12°

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE GAS GAS EC 250 2002-2019 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2484	66.4	38.2	79.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 0	PC2484A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 0	PC2484B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 0	PC2484C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 0	PC2484D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE GAS GAS TXT 250 Ø 72,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2736	72.5	28.8	66.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 72.46	PC2736A	1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 - IN SERIE
		2	N0725010026530KBI	SEGM. G30KB AC 72,5 x 1 x 2,65
B 72.47	PC2736B	1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 - IN SERIE
		2	N0725010026530KBI	SEGM. G30KB AC 72,5 x 1 x 2,65
C 72.48	PC2736C	1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 - IN SERIE
		2	N0725010026530KBI	SEGM. G30KB AC 72,5 x 1 x 2,65

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2329	66.4	38.1	79.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

PISTONE GAS GAS TXT 280 Ø 76

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2737	76.0	28.7	66.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 75.94	PC2737A	2	N0760010028530KBI	SEGM. G30KB AC 76 x 1 x 2,85
		1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 - IN SERIE
B 75.95	PC2737B	2	N0760010028530KBI	SEGM. G30KB AC 76 x 1 x 2,85
		1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 - IN SERIE
C 75.96	PC2737C	2	N0760010028530KBI	SEGM. G30KB AC 76 x 1 x 2,85
		1	SP180520120K2I	PIN Ø 18 X 52 X 12
		1	AN2B1815SET	CLIP D.18 2B FILO 1.5 - IN SERIE

PISTONE GAS GAS EC300 2002-2019 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2510	72.0	38.0	79.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
PC, A 71.93	PC2510A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
PC, B 71.94	PC2510B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
PC, C 71.95	PC2510C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
PC, D 71.96	PC2510D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2704	79.0	28.7	66.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
78.95	PC27047895	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.96	PC27047896	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.97	PC27047897	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.98	PC27047898	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7

PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2668	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2668A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2668B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2668C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2668D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2494	78.0	19.5	32.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2494A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2494B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2494C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2494D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2495	78.0	19.5	33.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2495A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2495B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2495C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2495D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

GAS GAS

4T 350cc

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2496	88.0	20.5	33.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87	PC2496A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87	PC2496B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87	PC2496C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2497	88.0	20.5	33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2497A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2497B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2497C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2498	95.0	22.8	36.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2498A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2498B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2498C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2499	95.0	22.8	37.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2499A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2499B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2499C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE HONDA CR 80 '90 -'99 Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1569	46.0	24.0	53.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 45.95	PC1569A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
B 45.96	PC1569B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
C 45.97	PC1569C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
D 45.98	PC1569D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85

PISTONE HONDA CR 80 USA '90 - '02 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1753	47.0	24.0	53.3	STANDARD



AD ESAURIMENTO SCORTE

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1753A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1753B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1753C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1753D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE HONDA CR 85 '03 -'07 Ø 47,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1814	47.5	24.0	53.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 47.45	PC1814A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
B 47.46	PC1814B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
C 47.47	PC1814C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
D 47.48	PC1814D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85

PISTONE HONDA CR 125 1992 - 1999 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1518	54.0	28.0	58.0	STANDARD



Fermo segm. laterale/ Shifted ring stopper

Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1518A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1518B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1518C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1518D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1518E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE HONDA CR 125 2000 - 2003 Ø 54 with port

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1853	54.0	28.0	58.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1853A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1853B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1853C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1853D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1853E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE HONDA CR 125 2004 - CRE 125 2004 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1799	54.0	28.0	60.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.92	PC1799A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.93	PC1799B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.94	PC1799C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.95	PC1799D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.96	PC1799E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
F 53.97	PC1799F	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE HONDA CR250R 1989-1994 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2380	66.4	38.0	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2380110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2380160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2380A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2380B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2380C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2380D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE HONDA CR250R 1995-1996 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2381	66.4	38.0	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2381110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2381160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2381A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2381B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2381C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2381D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE HONDA CR250R 1997-2001 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2382	66.4	38.0	75.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2382110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2382160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2382A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2382B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2382C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2382D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE HONDA CR250R 2002-2004 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2383	66.4	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2383110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2383160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2383A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2383B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2383C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2383D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE HONDA CR250R 2005-2007 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2384	66.4	38.2	78.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2384110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2384160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2384A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2384B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2384C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2384D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE HONDA CRF 250R '06 - '09 Compr. 13,1:1 Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2086	78.0	19.0	32.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.95	PC2086A	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 77.96	PC2086B	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 77.97	PC2086C	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 77.98	PC2086D	1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
		1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE HONDA CRF 250R '06 - '09 Compr. 13,5:1 Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2063	78.0	19.0	35.1	SPORT



Variant	Item	Qty	Component Code	Component Description
A 77.95	PC2063A	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
B 77.96	PC2063B	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
C 77.97	PC2063C	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE
D 77.98	PC2063D	1	SP160415090KBI	PIN Ø 16 X 41.5 X 9 BIC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT780002I	WSMOT780002I SERIE SEGM. MOTO 4T Ø 78 MM H. 0.8/1.5 - IMBUSTATE

PISTONE HONDA CRF 250R '10 -'13 Compr. 13,2:1 Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2162	76.8	19.0	32.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2162A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2162B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2162C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2162D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF 250R '10 -'13 Compr. 13,2:1 Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2116	76.8	19.0	32.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2116A	1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
B 76.77	PC2116B	1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
C 76.78	PC2116C	1	TBD	PN2116 PISTONE NUDO HONDA CRF 250R '10 -'13 (Compr. 13,2:1) Ø 76,8
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
D 76.78	PC2116D	1	TBD	PN2116 PISTONE NUDO HONDA CRF 250R '10 -'13 (Compr. 13,2:1) Ø 76,8
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9

PISTONE HONDA CRF 250R '10 -'13 Compr. 14,1:1 Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2163	76.8	19.0	33.0	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2163A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2163B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2163C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2163D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF 250R '10-'13 Compr. 14,3:1 HHC Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2209	76.8	19.0	33.1	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2209A	1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
B 76.77	PC2209B	1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160390090KI	PIN Ø 16 X 39 X 9
C 76.78	PC2209C	1	SP160390090KI	PIN Ø 16 X 39 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF 250R '14-'15 Compr. 13,5:1 O.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2398	76.8	19.1	32.9	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2398A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2398B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2398C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2398D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF 250R '14-'15 Compr. 14,3:1 H.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2399	76.8	19.1	34.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2399A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2399B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2399C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2399D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF 250R '14-'15 Compr. 14,3:1 H.C. Ø 76,8 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2400	76.8	19.1	34.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2400A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2400B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2400C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
D 76.79	PC2400D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF250R- '16-'17 Compr. 13,8:1 O.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2491	76.8	19.1	33.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2491A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2491B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2491C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF250R- '16-'17 Compr. 14,3:1 H.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2492	76.8	19.1	35.0	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2492A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
B 76.77	PC2492B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2492C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768005	NSMOT768005 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF250R- '16-'17 Compr. 14,3:1 H.C. Ø 76,8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2493	76.8	19.1	35.0	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.76	PC2493A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5
C 76.78	PC2493C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT768001	NSMOT768001 SERIE SEGM. MOTO 4T Ø 76,8 MM H. 0,8/1,5

PISTONE HONDA CRF250R- '18-'19 Compr. 14,5:1 H.C. Ø 79 Vers. RACING EVO EmmeMotori

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2690	79.0	18.8	34.7	RACING EVO



Variant	Item	Qty	Component Code	Component Description
A 78.95	PC2690A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
B 78.96	PC2690B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
C 78.97	PC2690C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
D 78.99	PC2690D	1	TBD	PN2690BSF PISTONE NUDO CON RIP. BISOLFURO HONDA CRF250R 2018-19 (H.C.) EmmeMotori Ø 79
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE

PISTONE HONDA CRF250R- '18-'19 Compr.13.9:1 O.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2656	79.0	18.8	33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2656A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
B 78.97	PC2656B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
C 78.98	PC2656C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE

PISTONE HONDA CRF250R- '18-'19 Compr.14,5:1 H.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2657	79.0	18.8	33.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2657A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
B 78.97	PC2657B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
C 78.98	PC2657C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE

PISTONE HONDA CRF250R-CRF250RX '20-'21 Compr. 13.9:1 O.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2790	79.0	18.8	34.9	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2790A	1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 78.97	PC2790B	1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 78.98	PC2790C	1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE HONDA CRF250R-CRF250RX '20-'21 Compr. 14.5:1 H.C. Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2791	79.0	18.8	35.4	RACING

Variant	Item	Qty	Component Code	Component Description
A 78.96	PC2791A	1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN081612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 78.97	PC2791B	1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN081612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 78.98	PC2791C	1	TSMOT790002I	TSMOT790002I SERIE SEGM. MOTO 4T in PVD D. 79 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN081612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE HONDA CRF 300 RX 2019 Compr. 13,5:1 O.C. Ø 86

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2728	86.0	18.7	31.2	STANDARD



AD ESAURIMENTO SCORTE

Variant	Item	Qty	Component Code	Component Description
A 85.91	PC2728A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1 - IMBUSTATE
B 85.92	PC2728B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1 - IMBUSTATE
C 85.93	PC2728C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1 - IMBUSTATE
D 85.94	PC2728D	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1 - IMBUSTATE

PISTONE HONDA CRF 300 RX 2019 Compr. 14,0:1 H.C. Ø 86

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2729	86.0	18.7	31.5	RACING EVO



Variant	Item	Qty	Component Code	Component Description
A 85.91	PC2729A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1 - IMBUSTATE
B 85.92	PC2729B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT860001I	TSMOT860001I SERIE SEGM. MOTO 4T in PVD D. 86 MM H. 2/1 - IMBUSTATE

PISTONE HONDA CRF 450-R '13-'16 Compr. 13,2:1 H.C. PIN-DLC Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2437	96.0	20.8	36.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2437A	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 95.96	PC2437B	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 95.97	PC2437C	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 95.98	PC2437D	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE HONDA CRF 450R '09 -'12 Compr. 12,5:1 Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2216	96.0	20.7	35.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2216A	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
B 95.96	PC2216B	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
C 95.97	PC2216C	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
D 95.98	PC2216D	1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
		1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE

PISTONE HONDA CRF 450R '09 -'12 Compr. 13.2:1 H.C. PIN-DLC Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2318	96.0	20.7	37.0	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2318A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.96	PC2318B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE HONDA CRF 450R '09 -'12 Compr. 13.2:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2317	96.0	20.7	37.0	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2317A	0	TBD	TBD
B 95.96	PC2317B	0	TBD	TBD
C 95.97	PC2317C	0	TBD	TBD
D 95.98	PC2317D	0	TBD	TBD

PISTONE HONDA CRF 450R-CRF 450RX 2017-19 Compr. 13.5:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2599	96.0	20.5	38.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2599A	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 95.96	PC2599B	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 95.97	PC2599C	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 95.98	PC2599D	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE HONDA CRF 450R-CRF 450RX 2017-19 Compr. 14,1:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2600	96.0	20.5	37.7	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2600A	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 95.96	PC2600B	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 95.97	PC2600C	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 95.98	PC2600D	1	SP190490110ZG2I	PIN Ø 19 X 49 X 11 BIC NITR+DLC-DIS.SP143-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE HONDA CRF450-R '13 - '16 Compr. 12,5:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2435	96.0	20.8	35.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2435A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 95.96	PC2435B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 95.97	PC2435C	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 95.98	PC2435D	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	WSMOT960002I	WSMOT960002I SERIE SEGM. MOTO 4T Ø 96 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE HONDA CRF450-R '13 - '16 Compr. 13,2:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2436	96.0	20.8	36.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2436A	0	TBD	TBD
B 95.96	PC2436B	0	TBD	TBD
C 95.97	PC2436C	0	TBD	TBD
D 95.98	PC2436D	0	TBD	TBD

PISTONE HONDA CRF450X '02-'17 / CRF-450R '04-'08 Compr. 12,5:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2175	96.0	24.2	35.2	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2175A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.95	PC2175B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.95	PC2175C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.95	PC2175D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE HONDA CRF450X '02-'17 / CRF450R '04-'08 Compr. 12,1:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2174	96.0	24.2	34.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.95	PC2174A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.96	PC2174B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.97	PC2174C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.98	PC2174D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers.
2 segm Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2472	54.0	29.5	58.1	STANDARD



2 segmenti semi-trapezoidali / 02
half-keystone rings

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2329	66.4	38.1	79.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

PISTONE KTM EXC-300 2004-2018 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2342	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2342A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2342B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2342C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2342D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2264	78.0	19.5	30.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2264A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 77.97	PC2264B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2264C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2264D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2265	78.0	19.5	30.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2265A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2265B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2265C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2265D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2349	88.0	20.5	33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2349A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2349B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2349C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)


PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2328	88.0	20.5	33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87	PC2328A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87	PC2328B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87	PC2328C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

REKLUSE



INTEC

TO





PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2047	45.0	21.6	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
O 44.95	PC20470	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
A 44.96	PC2047A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.97	PC2047B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.98	PC2047C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.99	PC2047D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
E 45	PC2047E	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

PISTONE KTM SX - EXC 85 '03 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1852	47.0	24.0	53.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1852A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1852B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1852C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1852D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
E 46.98	PC1852E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE KTM SX - EXC 85 '09 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2805	47.0	23.8	51.5	RACING

New!

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC2805A	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
B 46.95	PC2805B	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
C 46.96	PC2805C	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
D 46.97	PC2805D	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
E 46.98	PC2805E	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE

PISTONE HUSQVARNA CR-WR 125 1997-2013 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2312	54.0	28.0	58.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2312A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC2312B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC2312C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC2312D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC2312E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers.
2 segm Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2472	54.0	29.5	58.1	STANDARD



2 segmenti semi-trapezoidali / 02
half-keystone rings

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1770	54.0	29.5	58.2	STANDARD



1 segmento rettangolare / 1
rectangular ring

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1770A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1770B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1770C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1770D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC1770E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. segm 0.8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2797	54.0	29.5	58.2	RACING



1 SEGM. RETT./1 RECT. RING h. 0.8 mm.

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2797A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2797B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2797C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
D 53.97	PC2797D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
E 53.98	PC2797E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 HK RING RACING version

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2367	54.0	29.5	58.2	RACING



RACING VERSION - 1 segmento semi-trapezoidale / 1 half-keystone ring

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2367A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2367B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2367C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2367D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2367E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 SEGM. RETT. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2874	54.0	29.5	58.2	RACING EVO

New!

1 SEGM. RETT. / 1 RECTANGULAR
RING

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2874A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC2874B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC2874C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC2874D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC2874E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2875	54.0	29.5	58.2	RACING EVO

New!

RACING EVO - 1 SEGM. TRAP. -
RIPORTO OIL DOTS / 1 HK RING - OIL
DOTS COATING

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2875A	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
B 53.95	PC2875B	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
C 53.96	PC2875C	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
D 53.97	PC2875D	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
E 53.98	PC2875E	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers.Testa 12°

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2798	54.0	29.5	58.2	RACING



1 SEGM. SEMITRAP./ 1 HALF-KEYSTON RING1 - TESTA/HEAD 12°

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2773	58.0	29.5	58.0	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2773A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2773B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2773C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2773D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58 Vers. RACING 1 segmento

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2774	58.0	29.5	58.0	RACING

VERSIONE 1 SEGMENTO / 1 RING
VERSION

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2774A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2774B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2774C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2774D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2329	66.4	38.1	79.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2614	78.0	19.5	30.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2614A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2614B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2614C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2614D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM EXC-300 2004-2018 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2342	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2342A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2342B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2342C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2342D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2668	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2668A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2668B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2668C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2668D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2110	39.5	21.7	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
AB 39.46	PC2110AB	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
CD 39.47	PC2110CD	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
EF 39.48	PC2110EF	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
GH 39.49	PC2110GH	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2264	78.0	19.5	30.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2264A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 77.97	PC2264B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2264C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2264D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2265	78.0	19.5	30.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2265A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2265B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2265C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2265D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2494	78.0	19.5	32.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2494A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2494B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2494C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2494D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2495	78.0	19.5	33.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2495A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2495B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2495C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2495D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2349	88.0	20.5	33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2349A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2349B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2349C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2328	88.0	20.5	33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87	PC2328A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87	PC2328B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87	PC2328C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2496	88.0	20.5	33.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87	PC2496A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87	PC2496B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87	PC2496C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2497	88.0	20.5	33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2497A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2497B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2497C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2609	88.0	20.5	33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2609A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2609B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2609C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12.8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2610	88.0	20.5	33.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2610A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2610B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2610C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2011-2015 Compr. 14,1:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2348	88.0	20.5	34.35	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2348A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2348B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2348C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2498	95.0	22.8	36.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2498A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2498B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2498C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2499	95.0	22.8	37.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2499A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2499B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2499C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE KAWASAKI KX 60 '88 -'03 Ø 43

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1573	43.0	23.5	50.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 42	PC1573A	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
B 42	PC1573B	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
C 42	PC1573C	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
D 42	PC1573D	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
E 42	PC1573E	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80
F 43	PC1573F	1	SP120360080HI	PIN D. 12 X 36 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0430010018030KBI	SEGM. G30KB AC 43 x 1 x 1,80

PISTONE KAWASAKI KX 65 '00 -'22 Ø 44,5 1 ring version

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1875	44.5	23.6	50.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 44.45	PC1875A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
B 44.46	PC1875B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
C 44.47	PC1875C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
D 44.48	PC1875D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI

PISTONE KAWASAKI KX 65 '00-'22 - SUZUKI RM65 03-06 Ø 44,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1843	44.5	23.6	50.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 44.45	PC1843A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
B 44.46	PC1843B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
C 44.47	PC1843C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
D 44.48	PC1843D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI

PISTONE KAWASAKI KX 85 2001 - 2013 Ø 48,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1656	48.5	26.0	54.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 48.44	PC1656A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
B 48.45	PC1656B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
C 48.46	PC1656C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
D 48.47	PC1656D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		2	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85

PISTONE KAWASAKI KX 85 2001 - 2022 Ø 48,5 Versione 1 segm. RACING

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2431	48.5	26.0	54.0	RACING



Variant	Item	Qty	Component Code	Component Description
A 48.44	PC2431A	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
B 48.45	PC2431B	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
C 48.46	PC2431C	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
D 48.47	PC2431D	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
E 48.48	PC2431E	1	SP140400090KB2I	PIN D. 14 X 40 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85

PISTONE KAWASAKI KX 85 2014 - 2022 Ø 48,5 1 ring version

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1862	48.5	26.0	54.0	RACING



Variant	Item	Qty	Component Code	Component Description
A 48.44	PC1862A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
B 48.45	PC1862B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
C 48.46	PC1862C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
D 48.47	PC1862D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85
E 48.48	PC1862E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0485010018530KBI	SEGM. G30KB AC 48,5 x 1 x 1,85

PISTONE KAWASAKI KX 100 '98-'18 Ø 52,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2462	52.5	26.0	53.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 52.44	PC2462A	1	SP140440100ZN2I	PIN D. 14 X 44 X 10 NIT.
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0525010020530KBI	SEGM. G30KB AC 52,50 X 1 X 2,05
B 52.45	PC2462B	1	SP140440100ZN2I	PIN D. 14 X 44 X 10 NIT.
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0525010020530KBI	SEGM. G30KB AC 52,50 X 1 X 2,05
C 52.46	PC2462C	1	SP140440100ZN2I	PIN D. 14 X 44 X 10 NIT.
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0525010020530KBI	SEGM. G30KB AC 52,50 X 1 X 2,05

PISTONE KAWASAKI KX - KXE 125 1999 - 2000 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1790	54.0	29.5	60.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1790A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1790B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1790C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1790D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KAWASAKI KX - KXE 125 2001 - 2002 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1776	54.0	29.3	60.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1776A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1776B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1776C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1776D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.99	PC1776E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
F 54	PC1776F	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KAWASAKI KX - KXE 125 2003 - 2008 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2477	54.0	29.3	60.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC2477A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC2477B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC2477C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC2477D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KAWASAKI KX 250 1992-2001 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2386	66.4	37.2	76.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2386110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2386160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2386A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2386B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2386C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2386D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE KAWASAKI KX 250 2002-2004 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2387	66.4	37.2	79.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2387110	0	TBD	TBD
68	PC2387160	0	TBD	TBD
A 66.34	PC2387A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2387B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2387C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2387D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE KAWASAKI KX 250 2005-2008 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2388	66.4	37.2	77.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2388A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2388B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2388C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2388D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE KAWASAKI KX250F - KXE250F 2010 Compr. 13,2:1 Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2164	77.0	19.8	31.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2164A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2164B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2164C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2164D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE KAWASAKI KX250F - KXE250F 2010 Compr. 13,8:1 Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2165	77.0	19.8	33.7	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2165A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2165B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2165C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2165D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE KAWASAKI KX250F - KXE250F 2011-2014 Compr. 13,5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2207	77.0	18.9	32.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2207A	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
B 76.96	PC2207B	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
C 76.97	PC2207C	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
D 76.98	PC2207D	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE

PISTONE KAWASAKI KX250F - KXE250F 2011-2014 Compr. 14,2:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2208	77.0	18.9	33.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2208A	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
B 76.96	PC2208B	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
C 76.97	PC2208C	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
D 76.98	PC2208D	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE

PISTONE KAWASAKI KX250F - KXE250F 2015-2016 Compr. 13,8:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2520	77.0	19.7	32.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76	PC2520A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
B 76	PC2520B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
C 76	PC2520C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
D 76	PC2520D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE

PISTONE KAWASAKI KX250F - KXE250F 2015-2016 Compr. 14,3:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2522	77.0	19.7	33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2522A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
B 76.96	PC2522B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
C 76.97	PC2522C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
D 76.98	PC2522D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE

PISTONE KAWASAKI KX250F - KXE250F 2017-2019 Compr. 13,7:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2612	77.0	19.9	33.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2612A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
B 76.96	PC2612B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
C 76.97	PC2612C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
D 76.98	PC2612D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE

PISTONE KAWASAKI KX250F - KXE250F 2017-2019 Compr. 14,3:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2613	77.0	19.9	34.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 76	PC2613A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
B 76	PC2613B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
C 76	PC2613C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE
D 76	PC2613D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT770003I	WSMOT770003I SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8x2.8/1,5x2.2 - IMBUSTATE

PISTONE KAWASAKI KX250F 2020 Compr. 14,2:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2770	78.0	20.0		STANDARD

Variant	Item	Qty	Component Code	Component Description
A 77.95	PC2770A	1	TSMOT780003I	TSMOT780003I SERIE SEGM. MOTO 4T in PVD Ø 78 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 77.96	PC2770B	1	TSMOT780003I	TSMOT780003I SERIE SEGM. MOTO 4T in PVD Ø 78 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 77.97	PC2770C	1	TSMOT780003I	TSMOT780003I SERIE SEGM. MOTO 4T in PVD Ø 78 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 77.98	PC2770D	1	TSMOT780003I	TSMOT780003I SERIE SEGM. MOTO 4T in PVD Ø 78 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE KAWASAKI KX450F 2006-2008 - LXE450F 2006-2008 - KLX450R 2008-2011 Compr. 12:1 Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2176	96.0	23.5	42.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2176A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2176B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2176C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2176D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2006-2008 - LXE450F 2006-2008 - KLX450R 2008-2011 Compr. 13:1 Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2177	96.0	23.5	43.4	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2177A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2177B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2177C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2177D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2009-2012 Compr. 12,7:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2619	96.0	23.7	43.0	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2619A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2619B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2619C	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2619D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2009-2012 Compr. 13,2:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2620	96.0	23.7	43.7	SPORT

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2620A	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2620B	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2620D	1	SP190505120W3I	PIN Ø 19 X 50,5 X 12
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2013-2014 2016-2018 Compr. 12,5:1/12,8:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2621	96.0	23.75	36.65	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2621A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2621B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2621C	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2013-2014 2016-2018 Compr. 13,6:1/13,9:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2622	96.0	23.75	38.25	SPORT

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2622A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2622B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2015 Compr. 12,5:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2623	96.0	23.8	37.6	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2623A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2623B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2015 Compr. 13:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2624	96.0	23.75		SPORT

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2624A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2624C	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2019-2022 Compr. 12,5:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2726	96.0	23.75	36.3	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2726A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2726B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2726C	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2726D	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX450F 2019-2022 Compr. 13,5:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2727	96.0	23.75		RACING

Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2727A	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2727B	1	SP190490110ZF2I	PIN Ø 19 X 49 X 11 BIC NITR -DIS.SP142-31 CrMoV9 - IMBUSTATO
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KTM SX 50 '01 -'08 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2154	39.5	21.6	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 39.46	PC2154A	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
B 39.47	PC2154B	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
C 39.48	PC2154C	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
D 39.49	PC2154D	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2110	39.5	21.7	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
AB 39.46	PC2110AB	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
CD 39.47	PC2110CD	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
EF 39.48	PC2110EF	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65
GH 39.49	PC2110GH	1	SP120330080HI	PIN D. 12 X 33 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0395010016530KBI	SEGM. G30KB AC 39,5 x 1 x 1,65

PISTONE KTM SX 65 1997 -2008 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1842	45.0	21.5	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 44.95	PC1842A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.96	PC1842B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.97	PC1842C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.98	PC1842D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2047	45.0	21.6	48.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
0 44.95	PC20470	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
A 44.96	PC2047A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
B 44.97	PC2047B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
C 44.98	PC2047C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
D 44.99	PC2047D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85
E 45	PC2047E	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		1	N0450010018530KBI	SEGM. G30KB AC 45 x 1 x 1,85

PISTONE KTM SX - EXC 85 '03 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1852	47.0	24.0	53.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 46.94	PC1852A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
B 46.95	PC1852B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
C 46.96	PC1852C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
D 46.97	PC1852D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
E 46.98	PC1852E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85

PISTONE KTM SX - EXC 85 '09 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2805	47.0	23.8	51.5	RACING

New!

Variant	Item	Qty	Component Code	Component Description
A 46.94	PC2805A	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
B 46.95	PC2805B	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
C 46.96	PC2805C	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
D 46.97	PC2805D	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
E 46.98	PC2805E	1	N0470010018530KBI	SEGM. G30KB AC 47 x 1 x 1,85
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE

PISTONE KTM SX 105 '04 -'13 Ø 52

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2151	52.0	24.2	53.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 51.95	PC2151A	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
B 51.96	PC2151B	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
C 51.97	PC2151C	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
D 51.98	PC2151D	1	N0520010020530KBI	SEGM. G30KB AC 52 x 1 x 2,05
		1	SP140450090KBI	PIN D. 14 X 45 X 9 BIC
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers.
2 segm Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2472	54.0	29.5	58.1	STANDARD



2 segmenti semi-trapezoidali / 02
half-keystone rings

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2472A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2472B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2472C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2472D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2472E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1770	54.0	29.5	58.2	STANDARD



1 segmento rettangolare / 1
rectangular ring

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1770A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1770B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1770C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1770D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC1770E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. segm 0.8

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2797	54.0	29.5	58.2	RACING



1 SEGM. RETT./1 RECT. RING h. 0.8 mm.

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2797A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2797B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2797C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
D 53.97	PC2797D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
E 53.98	PC2797E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 HK RING RACING version

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2367	54.0	29.5	58.2	RACING



RACING VERSION - 1 segmento semi-trapezoidale / 1 half-keystone ring

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2367A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2367B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2367C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2367D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2367E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 SEGM. RETT. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2874	54.0	29.5	58.2	RACING EVO

New!

1 SEGM. RETT. / 1 RECTANGULAR
RING

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2874A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC2874B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC2874C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC2874D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.98	PC2874E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54
1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2875	54.0	29.5	58.2	RACING EVO

New!

RACING EVO - 1 SEGM. TRAP. -
RIPORTO OIL DOTS / 1 HK RING - OIL
DOTS COATING

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2875A	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
B 53.95	PC2875B	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
C 53.96	PC2875C	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
D 53.97	PC2875D	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
E 53.98	PC2875E	1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
		1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE

PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers.Testa 12°

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2798	54.0	29.5	58.2	RACING



1 SEGM. SEMITRAP./ 1 HALF-KEYSTON RING1 - TESTA/HEAD 12°

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
B 53.95	PC2798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
C 53.96	PC2798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
D 53.97	PC2798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20
E 53.98	PC2798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010622033KBI	SEGM. G33KB AC 54 X 1,063 X 2,20

PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2773	58.0	29.5	58.0	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2773A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2773B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2773C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2773D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58 Vers. RACING 1 segmento

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2774	58.0	29.5	58.0	RACING

Variant	Item	Qty	Component Code	Component Description
A 57.94	PC2774A	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
B 57.95	PC2774B	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
C 57.96	PC2774C	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2
D 57.97	PC2774D	1	SP150470100KBI	PIN Ø 15 X 47 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0580010022030KBI	SEGM. G30KB AC 58 X 1 X 2,2

VERSIONE 1 SEGMENTO / 1 RING
VERSION

PISTONE KTM SX 144 '07- SX 150 '07 -'15 Ø 56

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2155	56.0	29.5	59.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 55.95	PC2155A	1	SP150470100KI	PIN Ø 15 X 47 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
B 55.96	PC2155B	1	SP150470100KI	PIN Ø 15 X 47 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25
C 55.97	PC2155C	1	SP150470100KI	PIN Ø 15 X 47 X 10
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0560010022530KBI	SEGM. G30KB AC 56 X 1 X 2.25

PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2329	66.4	38.1	79.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2329A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
B 66.35	PC2329B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
C 66.36	PC2329C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4
D 66.37	PC2329D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN081815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0664010024033KBI	SEGM. G33KB AC Ø 66,4 X 1 X 2,4

PISTONE KTM EXC-300 2004-2018 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2342	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2342A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2342B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2342C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2342D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2668	72.0	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2668A	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2668B	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2668C	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2668D	1	SP180590120KB2I	PIN Ø 18 X 59 X 12 BIC foro semilap.
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2614	78.0	19.5	30.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2614A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2614B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2614C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2614D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2006 -2012 - 250 EXC-F 2007-2013 Compr. 12,8:1 O.C. Ø 76

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2160	76.0	19.0	34.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 75.96	PC2160A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA
B 75.97	PC2160B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA
C 75.98	PC2160C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA
D 75.99	PC2160D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA

PISTONE KTM 250 SX-F 2006 -2012 - 250 EXC-F 2007-2013 Compr. 13,3:1 H.C. Ø 76

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2161	76.0	19.0	35.0	SPORT



Variant	Item	Qty	Component Code	Component Description
A 75.96	PC2161A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA
B 75.97	PC2161B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA
C 75.98	PC2161C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA
D 75.99	PC2161D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	WSMOT760001I	WSMOT760001I SERIE SEGM. MOTO 4T Ø 76 MM H. 0,8-2.7/1,5-2.2 - IMBUSTATA

PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2264	78.0	19.5	30.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2264A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 77.97	PC2264B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2264C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2264D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2265	78.0	19.5	30.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2265A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2265B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2265C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2265D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2494	78.0	19.5	32.6	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2494A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2494B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2494C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2494D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2495	78.0	19.5	33.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 77.96	PC2495A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
B 77.97	PC2495B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
C 77.98	PC2495C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA
D 77.99	PC2495D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT780005I	TSMOT780005I SERIE SEGM. MOTO 4T DIAM. 78 mm H. 0.8 x 2.85/1.5 x 2.55 (R82) - IMBUSTATA

PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2349	88.0	20.5	33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2349A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2349B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2349C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12,3:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2609	88.0	20.5	33.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2609A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2609B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2609C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 EXC-F 2017-2019 Compr. 12.8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2610	88.0	20.5	33.8	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2610A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2610B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2610C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2328	88.0	20.5	33.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87	PC2328A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87	PC2328B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87	PC2328C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2011-2015 Compr. 14,1:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2348	88.0	20.5	34.35	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2348A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2348B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2348C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN1B1815ARSET	CLIP D.18 1B FILO 1.5 anti-rotazione - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2496	88.0	20.5	33.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 87	PC2496A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87	PC2496B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87	PC2496C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2497	88.0	20.5	33.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 87.96	PC2497A	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
B 87.97	PC2497B	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)
C 87.98	PC2497C	1	SP180400100ZE2I	PIN Ø 18 X 40 X 10 DLC
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		1	NSMOT880005	NSMOT880005 SERIE SEGM. MOTO 4T Ø 88 MM H. 0.8x2.9/1.5x2.55 (R82)

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2498	95.0	22.8	36.8	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2498A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2498B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2498C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2499	95.0	22.8	37.6	RACING



Variant	Item	Qty	Component Code	Component Description
A 94.95	PC2499A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
B 94.96	PC2499B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2
C 94.97	PC2499C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1915SET	CLIP D.19 SB FILO 1.5 - IN SERIE
		1	NSMOT950002	NSMOT950002 SERIE SEGM. MOTO 4T Ø 95 MM H. 0.8/2

PISTONE SHERCO SE-R 125 '18-'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2776	54.0	29.0	61.0	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2776A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
B 53.95	PC2776B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25
C 53.96	PC2776C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	N0540008022530KBI	SEGM. G30KB AC 54 X 0,8 X 2,25

PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2704	79.0	28.7	66.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
78.95	PC27047895	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.96	PC27047896	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.97	PC27047897	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7
78.98	PC27047898	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1815SET	CLIP D.18 SB FILO 1.5 - IN SERIE
		2	T0790012027030KBI	SEGM. G30KB AC 79 x 1,2 X 2,7

PISTONE SHERCO SE300R 2014-2015 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2511	72.0	38.0	79.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.94	PC2511A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.95	PC2511B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.96	PC2511C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.97	PC2511D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE SHERCO SE300R 2016-2022 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2780	72.0	37.5	75.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 71.95	PC2780A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.96	PC2780B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.97	PC2780C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.98	PC2780D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE SHERCO SEF-R 300 '16-'22 Ø 84

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2740	84.0	18.9	32.9	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 83.945	PC2740A	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT840001I	TSMOT840001I SERIE SEGM. MOTO 4T in PVD D. 84 MM H. 1/2 - IMBUSTATE
B 83.955	PC2740B	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT840001I	TSMOT840001I SERIE SEGM. MOTO 4T in PVD D. 84 MM H. 1/2 - IMBUSTATE
C 83.965	PC2740C	1	SP160400100ZG2I	PIN Ø 16 X 40 X 10 BIC NITR+DLC
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	TSMOT840001I	TSMOT840001I SERIE SEGM. MOTO 4T in PVD D. 84 MM H. 1/2 - IMBUSTATE

PISTONE SUZUKI RMZ 450 2008 -2012 Compr. 12,2:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2180	96.0	23.1	40.9	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2180A	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2180B	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2180C	1	SP190470120KBI	PIN Ø 19 X 47 X 12 BIC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE KAWASAKI KX 65 '00-'22 - SUZUKI RM65 03-06 Ø 44,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1843	44.5	23.6	50.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 44.45	PC1843A	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
B 44.46	PC1843B	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
C 44.47	PC1843C	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI
D 44.48	PC1843D	1	SP120370080KI	PIN D. 12 X 37 X 8
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
		2	N0445010018530KBI	SEGM. G30KB AC 44,5 x 1 x 1,85 - IMBUSTATI

PISTONE SUZUKI RM 80 '91 - '01 Ø 46,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1752	46.5	27.0	53.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 46.45	PC1752A	1	SP140390095KI	PIN D. 14 X 39 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85 - IMBUSTATI
B 46.46	PC1752B	1	SP140390095KI	PIN D. 14 X 39 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85 - IMBUSTATI
C 46.47	PC1752C	1	SP140390095KI	PIN D. 14 X 39 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85 - IMBUSTATI
D 46.48	PC1752D	1	SP140390095KI	PIN D. 14 X 39 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0465010018530KBI	SEGM. G30KB AC 46,5 x 1 x 1,85 - IMBUSTATI

PISTONE SUZUKI RM 85 '02 -'18 Ø 48

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1819	48.0	27.0	53.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
0 47.94	PC18190	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
A 47.95	PC1819A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
B 47.96	PC1819B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
C 47.97	PC1819C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85
D 47.98	PC1819D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0480010018530KBI	SEGM. G30KB AC 48 x 1 x 1,85

PISTONE SUZUKI RM 125 '00 - '03 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1578	54.0	29.5	59.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1578A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1578B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1578C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1578D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE SUZUKI RM 125 '04 - '12 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1927	54.0	29.5	58.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1927A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1927B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.97	PC1927C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1927D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE SUZUKI RM 125 '89 - '99 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1791	54.0	29.5	59.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.95	PC1791A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.96	PC1791B	0	TBD	TBD
C 53.97	PC1791C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.98	PC1791D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE SUZUKI 2T RM250 1996-1997 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2390	66.4	38.1	79.3	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2390110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2390160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2390A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2390B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2390C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2390D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE SUZUKI 2T RM250 1998 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2391	66.4	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 66.34	PC2391A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2391B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2391C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2391D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE SUZUKI 2T RM250 1999 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2392	66.4	38.0	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2392110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2392160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2392A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2392B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2392C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2392D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE SUZUKI 2T RM250 2000-2002 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2393	66.4	38.0	75.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2393110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2393160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0680010024530KBI	SEGM G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2393A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2393B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2393C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2393D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE SUZUKI 2T RM250 2003-2012 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2394	66.4	38.3	79.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2394110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2394160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC Ø 68 X 1 X 2,45
A 66.34	PC2394A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2394B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2394C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2394D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE SUZUKI RMZ 250 2010-2012 Compr. 13,4:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2166	77.0	19.7	36.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2166A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2166B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2166C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2166D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE SUZUKI RMZ 250 2010-2012 Compr. 13,8:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2167	77.0	19.7	37.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2167A	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2167B	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2167C	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2167D	1	SP160400090K2I	PIN Ø 16 X 40 X 9
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE SUZUKI RMZ 250 2013-2015 Compr. 13,5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2249	77.0	19.6	36.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2249A	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2249B	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2249C	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2249D	1	SP160380085KBI	PIN Ø 16 X 38 X 8.5 BIC - semilap
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE SUZUKI RMZ 250 2013-2015 Compr. 13,5:1 O.C. Ø 77 - spinotto in DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2403	77.0	19.6	36.0	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2403A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2403B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2403C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2403D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE SUZUKI RMZ 250 2016-2020 Compr. 13,75:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2500	77.0	19.6	36.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2500A	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 76.96	PC2500B	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 76.97	PC2500C	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 76.98	PC2500D	1	SP160380090XE2I	PIN Ø 16 X 38 X 9 DLC-DIS.SP123-41 CrAlMo7 - IMBUSTATO
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
		2	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE SUZUKI LT-R 450 '06-'09 QUADRACER '08 -'12 Compr. 11,7:1 Ø 95,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2172	95.5	24.5	43.8	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 95.45	PC2172A	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
B 95.46	PC2172B	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
C 95.47	PC2172C	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
D 95.48	PC2172D	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2

PISTONE SUZUKI LT-R 450 '06-'09 QUADRACER '08 -'12 Compr. 13,0:1 Ø 95,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2173	95.5	24.5	43.8	SPORT



Variant	Item	Qty	Component Code	Component Description
A 95.45	PC2173A	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
B 95.46	PC2173B	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
C 95.47	PC2173C	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2
D 95.48	PC2173D	1	SP190450110W3I	PIN Ø 19 X 45 X 11
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT955001	NSMOT955001 SERIE SEGM. MOTO 4T Ø 95,5 MM H. 1,2/2

PISTONE SUZUKI RMZ 450 2008 -2012 Compr. 13:1 H.C. Ø 96 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2181	96.0	23.1	41.2	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2181A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2181B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2181C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE SUZUKI RMZ 450 2013 -2019 Compr. 12,2:1 O.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2282	96.0	22.9	40.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2282A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2282B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2282C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2282D	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE SUZUKI RMZ 450 2013 -2019 Compr. 13:1 H.C. Ø 96

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2283	96.0	22.9	40.9	RACING



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2283A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2283B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2283C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
D 95.99	PC2283D	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE SUZUKI RMZ 450 2018 -2022 HHC Compr. 13,4:1 Ø 96 RACING EVO

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2675	96.0	22.9	40.2	RACING EVO



Variant	Item	Qty	Component Code	Component Description
A 95.96	PC2675A	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
B 95.97	PC2675B	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2
C 95.98	PC2675C	1	SP190470100XD2I	PIN Ø 19 X 47 X 10 Bic+DLC
		1	AN0B1912SET	CLIP D. 19 SB FILO 1.2 - IN SERIE
		1	NSMOT960001	NSMOT960001 SERIE SEGM. MOTO 4T Ø 96 MM H. 1/2

PISTONE TM RACING MX85 '15-'22 Ø 47,95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2712	47.95	24.2	51.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 47.87	PC2712A	1	S0479520020031KB2968I	SEGM. LKBP GH. SF. 47,95 x 2 x 2
		1	SP130390080HB2I	PIN D. 13 X 39 X 8 BIC
		1	AN081310SET	CLIP D. 13 SB FILO 1.0 - IN SERIE
B 47.88	PC2712B	1	S0479520020031KB2968I	SEGM. LKBP GH. SF. 47,95 x 2 x 2
		1	SP130390080HB2I	PIN D. 13 X 39 X 8 BIC
		1	AN081310SET	CLIP D. 13 SB FILO 1.0 - IN SERIE
C 47.89	PC2712C	1	S0479520020031KB2968I	SEGM. LKBP GH. SF. 47,95 x 2 x 2
		1	SP130390080HB2I	PIN D. 13 X 39 X 8 BIC
		1	AN081310SET	CLIP D. 13 SB FILO 1.0 - IN SERIE

PISTONE TM RACING MX-END 125 2010-2022 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2640	54.0	29.0	62.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC2640A	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
B 53.95	PC2640B	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
C 53.96	PC2640C	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20
D 53.97	PC2640D	1	SP150410100KBI	PIN D. 15 X 41 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		2	T0540008022030KBI	SEGM. G30KB AC 54 X 0,8 X 2,20

PISTONE TM RACING EN300Fi '19-'22 Ø 72

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2789	72.0	38.0	79.3	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 71.93	PC2789A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
B 71.94	PC2789B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
C 71.95	PC2789C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65
D 71.96	PC2789D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		2	N0720010026530KBI	SEGM. G30KB AC 72 X 1 X 2,65

PISTONE TM RACING MX 250 FI 2014-2017 D. 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2840	77.0	19.3	34.8	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2840A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 76.96	PC2840B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 76.97	PC2840C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 76.98	PC2840D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE TM RACING MX250Fi 18-'20 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2713	77.0	19.4	31.4	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2713A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 76.96	PC2713B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 76.97	PC2713C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 76.98	PC2713D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE YAMAHA 60 ATV ATV YT60L 1984 /TRI-ZINGER - YT60N 1985 / 4-ZINGER - YF60S 1986 D.44

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2864	44.0	25.5	51.1	RACING

New!

Variant	Item	Qty	Component Code	Component Description
		2	S0440015617518KP3122I	SEGM. G18KP GH. SF. 44 x 1,563 x 1,75
		1	SP100330060HI	PIN D. 10 X 33 X 6
		1	AN1B1008SET	CLIP D.10 1B FILO 0.8 - IN SERIE

PISTONE YAMAHA YZ65 '18-'22 Ø 43,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2707	43.5	24.0	49.9	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 43.44	PC2707A	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
B 43.45	PC2707B	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
C 43.46	PC2707C	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
D 43.47	PC2707D	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE
E 43.48	PC2707E	1	T0435008018030KBI	SEGM. G30KB AC 43,5 x 0,8 x 1,8
		1	SP120350080KBI	PIN D. 12 X 35 X 8 BIC
		1	AN0B1210SET	CLIP D.12 SB FILO 1.0 - IN SERIE

PISTONE YAMAHA YZ 80 '93 - '01 Ø 46

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1568	46.0	26.0	55.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 45.95	PC1568A	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
B 45.96	PC1568B	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
C 45.97	PC1568C	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85
D 45.98	PC1568D	1	SP140380095KI	PIN D. 14 X 38 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0460010018530KBI	SEGM. G30KB AC 46 x 1 x 1,85

PISTONE YAMAHA YZ 85 '02 -'18 Ø 47,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1812	47.5	26.0	54.3	STANDARD



AD ESAURIMENTO SCORTE

Variant	Item	Qty	Component Code	Component Description
A 47.44	PC1812A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
B 47.45	PC1812B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
C 47.46	PC1812C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
D 47.47	PC1812D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
E 47.48	PC1812E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85
		1	N0475010018530KBI	SEGM. G30KB AC 47,5 x 1 x 1,85

PISTONE YAMAHA YZ 85 '19-'22 Ø 47,5

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2724	47.5	26.0	54.3	RACING



Variant	Item	Qty	Component Code	Component Description
A 47.44	PC2724A	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
B 47.45	PC2724B	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
C 47.46	PC2724C	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
D 47.47	PC2724D	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2
E 47.48	PC2724E	1	SP140400095KI	PIN D. 14 X 40 X 9.5
		1	AN0B1410SET	CLIP D.14 SB FILO 1.0 - IN SERIE
		1	T0475008020030KBI	SEGM. G30KB AC 47,5 x 0,8 x 2

PISTONE YAMAHA YZ - WR 125 1998 - 2001 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1779	54.0	28.0	60.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1779A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1779B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1779C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1779D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1779E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE YAMAHA YZ - WR 125 2002 - 2004 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1798	54.0	28.0	60.2	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.93	PC1798A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.94	PC1798B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.95	PC1798C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.96	PC1798D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
E 53.97	PC1798E	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ / WR 125 '05 -'22 Ø 54

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P1821	54.0	28.5	58.5	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 53.94	PC1821A	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
B 53.95	PC1821B	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
C 53.96	PC1821C	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25
D 53.97	PC1821D	1	SP150450100YB4I	PIN D. 15 X 45 X 10 BIC
		1	AN0B1510SET	CLIP D.15 SB FILO 1.0 - IN SERIE
		1	N0540010022530KBI	SEGM. G30KB AC 54 x 1 x 2,25

PISTONE YAMAHA YZ250 '99-'22 Ø 66,4

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2395	66.4	38.0	79.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
67.5	PC2395110	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0675010024530KBI	SEGM. G30KB AC 67,5 x 1 x 2,45
68	PC2395160	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0680010024530KBI	SEGM. G30KB AC 68 X 1 X 2,45
A 66.34	PC2395A	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
B 66.35	PC2395B	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
C 66.36	PC2395C	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45
D 66.37	PC2395D	1	SP180560130Y4I	PIN Ø 18 X 56 X 13
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	N0664010024530KBI	SEGM. G30KB AC 66,4 x 1 x 2,45

PISTONE YAMAHA YZ250F 2008-2013 Compr. 13.5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2071	77.0	22.2	40.0	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2071A	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770001	NSMOT770001 SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8/0,8/1,5
B 76.96	PC2071B	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770001	NSMOT770001 SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8/0,8/1,5
C 76.97	PC2071C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770001	NSMOT770001 SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8/0,8/1,5
D 76.98	PC2071D	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770001	NSMOT770001 SERIE SEGM. MOTO 4T Ø 77 MM H. 0,8/0,8/1,5

PISTONE YAMAHA YZ250F 2008-2013 Compr. 13.9:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2070	77.0	22.2	41.2	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2070A	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2070B	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2070C	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2070D	1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	SP160430090KBI	PIN Ø 16 X 43 X 9 BIC
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2014-2017 Compr. 13.5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2350	77.0	20.3	38.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2350A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2350B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2350C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2350D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2014-2017 Compr. 13.9:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2351	77.0	20.3	37.5	SPORT



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2351A	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2351B	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2351C	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2351D	1	SP160380100ZF2I	PIN Ø 16 X 38 X 10 BIC NITR -DIS.SP132-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2014-2017 Compr. 13.9:1 H.C. Ø 77 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2352	77.0	20.3	37.5	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2352A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2352B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2016-2018 / WR250F 2018-2019 Compr. 13.5:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2501	77.0	20.3	33.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2501A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2501B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2501C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2501D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2016-2018 / WR250F 2018-2019 Compr. 14.2:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2503	77.0	20.3	35.1	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2503A	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
B 76.96	PC2503B	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
C 76.97	PC2503C	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5
D 76.98	PC2503D	1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
		1	NSMOT770002	NSMOT770002 SERIE SEGM. MOTO 4T Ø 77 MM H 0,8/1,5

PISTONE YAMAHA YZ250F 2019-2022 Compr.13.8:1 O.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2708	77.0	20.2	33.4	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2708A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 76.96	PC2708B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 76.97	PC2708C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 76.98	PC2708D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATE
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE YAMAHA YZ250F 2019-2022 Compr.14.2:1 H.C. Ø 77

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2709	77.0	20.2	36.1	RACING



Variant	Item	Qty	Component Code	Component Description
A 76.95	PC2709A	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATO
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
B 76.96	PC2709B	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATO
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
C 76.97	PC2709C	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATO
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE
D 76.98	PC2709D	1	TSMOT770004I	TSMOT770004I SERIE SEGM. MOTO 4T in PVD D. 77 MM H. 0,8/1,5 - IMBUSTATO
		1	SP160380100ZG2I	PIN Ø 16 X 38 X 10 BIC NITR+DLC-DIS.SP135-31 CrMoV9 - IMBUSTATO
		1	AN0B1612SET	CLIP D.16 SB FILO 1.2 - IN SERIE

PISTONE YAMAHA YZ450-F '18-'19 Compr. 12,8:1 O.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2652	97.0	24.1	40.7	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2652A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
B 96.95	PC2652B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
C 96.96	PC2652C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE
D 96.97	PC2652D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE

PISTONE YAMAHA YZ450F 2003-2009 / WR 450F 2003-2015 Compr. 12,5:1 O.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2170	95.0	23.5	40.1	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 94.93	PC2170A	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
B 94.94	PC2170B	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
C 94.95	PC2170C	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
D 94.96	PC2170D	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2

PISTONE YAMAHA YZ450F 2003-2009 / WR 450F 2003-2015 Compr. 13,1:1 H.C. Ø 95

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2171	95.0	23.4	39.7	SPORT



Variant	Item	Qty	Component Code	Component Description
A 94.93	PC2171A	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
B 94.94	PC2171B	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
C 94.95	PC2171C	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2
D 94.96	PC2171D	1	SP180505100KI	PIN Ø 18 X 50.5 X 10
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	NSMOT950001	NSMOT950001 SERIE SEGM. MOTO 4T Ø 95 MM H. 1/1,2/2

PISTONE YAMAHA YZ450F 2014 -2017 / WR450F 2016-2019 Compr. 12,5:1 O.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2353	97.0	24.2	39.0	STANDARD



Variant	Item	Qty	Component Code	Component Description
A 96.93	PC2353A	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR - DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 96.94	PC2353B	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR - DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 96.95	PC2353C	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR - DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 96.96	PC2353D	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR - DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE YAMAHA YZ450F 2014 -2017 / WR450F 2016-2019 Compr. 13,5:1 H.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2355	97.0	24.2	42.0	SPORT



Variant	Item	Qty	Component Code	Component Description
A 96.93	PC2355A	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 96.94	PC2355B	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 96.95	PC2355C	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 96.96	PC2355D	1	SP180490100ZF2I	PIN Ø 18 X 49 X 10 BIC NITR -DIS.SP140-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE YAMAHA YZ450F 2014 -2017 / WR450F 2016-2019 Compr. 13,5:1 H.C. Ø 97 PIN-DLC

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2356	97.0	24.2	42.0	RACING



Variant	Item	Qty	Component Code	Component Description
A 96.93	PC2356A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
B 96.94	PC2356B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
C 96.95	PC2356C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE
D 96.96	PC2356D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	WSMOT970002I	WSMOT970002I SERIE SEGM. MOTO 4T Ø 97 MM H. 1x3.1/1,5x2.5 - IMBUSTATE

PISTONE YAMAHA YZ450F 2020 Compr. 13,8:1 H.C. D. 97

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2806	97.0	24.1	40.3	RACING

New!

Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2806A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970004I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5 - IMBUSTATE
B 96.95	PC2806B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970004I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5 - IMBUSTATE
C 96.96	PC2806C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970004I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5 - IMBUSTATE
D 96.97	PC2806D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970004I	TSMOT970004I SERIE SEGM. MOTO 4T in PVD D. 97 MM (2 Segm.) H. 1/1,5 - IMBUSTATE

PISTONE YAMAHA YZ450F 2020-2022 Compr. 13:1 O.C. Ø 97

MP Ref:	Nom STD Ø mm	Compr. mm	Tot. Length mm	Version
P2768	97.0	24.1	40.3	STANDARD

Variant	Item	Qty	Component Code	Component Description
A 96.94	PC2768A	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE
B 96.95	PC2768B	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE
C 96.96	PC2768C	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE
D 96.97	PC2768D	1	SP180490100ZG2I	PIN Ø 18 X 49 X 10 BIC NITR+DLC-DIS.SP141-31 CrMoV9 - IMBUSTATO
		1	AN0B1812SET	CLIP D. 18 SB FILO 1.2 - IN SERIE
		1	TSMOT970003I	TSMOT970003I SERIE SEGM. MOTO 4T in PVD D. 97 MM H. 1/1/1,5 - IMBUSTATE

Elenco pistoni Off-Road a catalogo

Index of all Off-Road pistons on catalogue

P1518	HONDA	PISTONE HONDA CR 125 1992 - 1999 Ø 54	STANDARD
P1568	YAMAHA	PISTONE YAMAHA YZ 80 '93 - '01 Ø 46	STANDARD
P1569	HONDA	PISTONE HONDA CR 80 '90 - '99 Ø 46	STANDARD
P1573	KAWASAKI	PISTONE KAWASAKI KX 60 '88 - '03 Ø 43	STANDARD
P1578	SUZUKI	PISTONE SUZUKI RM 125 '00 - '03 Ø 54	STANDARD
P1656	KAWASAKI	PISTONE KAWASAKI KX 85 2001 - 2013 Ø 48,5	STANDARD
P1752	SUZUKI	PISTONE SUZUKI RM 80 '91 - '01 Ø 46,5	STANDARD
P1753	HONDA	PISTONE HONDA CR 80 USA '90 - '02 Ø 47	STANDARD
P1759	CAGIVA	PISTONE CAGIVA CROSS 125 CC.1984-1988 Ø 56	STANDARD
P1770	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54	STANDARD
P1770	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54	STANDARD
P1770	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54	STANDARD
P1774	COBRA	PISTONE COBRA MINI-CROSS Ø 39	STANDARD
P1776	KAWASAKI	PISTONE KAWASAKI KX - KXE 125 2001 - 2002 Ø 54	STANDARD
P1779	YAMAHA	PISTONE YAMAHA YZ - WR 125 1998 - 2001 Ø 54	STANDARD
P1790	KAWASAKI	PISTONE KAWASAKI KX - KXE 125 1999 - 2000 Ø 54	STANDARD
P1791	SUZUKI	PISTONE SUZUKI RM 125 '89 - '99 Ø 54	STANDARD
P1798	YAMAHA	PISTONE YAMAHA YZ - WR 125 2002 - 2004 Ø 54	STANDARD
P1799	HONDA	PISTONE HONDA CR 125 2004 - CRE 125 2004 Ø 54	STANDARD
P1812	YAMAHA	PISTONE YAMAHA YZ 85 '02 - '18 Ø 47,5	STANDARD
P1814	HONDA	PISTONE HONDA CR 85 '03 - '07 Ø 47,5	STANDARD
P1819	SUZUKI	PISTONE SUZUKI RM 85 '02 - '18 Ø 48	STANDARD
P1821	FANTIC	PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ / WR 125 '05 - '22 Ø 54	STANDARD
P1821	YAMAHA	PISTONE FANTIC XE-XX 125 '21-'22 - YAMAHA YZ / WR 125 '05 - '22 Ø 54	STANDARD
P1842	KTM	PISTONE KTM SX 65 1997 -2008 Ø 45	STANDARD
P1843	KAWASAKI	PISTONE KAWASAKI KX 65 '00-'22 - SUZUKI RM65 03-06 Ø 44,5	STANDARD
P1843	SUZUKI	PISTONE KAWASAKI KX 65 '00-'22 - SUZUKI RM65 03-06 Ø 44,5	STANDARD
P1852	GAS GAS	PISTONE KTM SX - EXC 85 '03 - '22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47	STANDARD

P1852	HUSQVARNA	PISTONE KTM SX - EXC 85 '03 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47	STANDARD
P1852	KTM	PISTONE KTM SX - EXC 85 '03 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47	STANDARD
P1853	HONDA	PISTONE HONDA CR 125 2000 - 2003 Ø 54 with port	STANDARD
P1862	KAWASAKI	PISTONE KAWASAKI KX 85 2014 - 2022 Ø 48,5 1 ring version	RACING
P1875	KAWASAKI	PISTONE KAWASAKI KX 65 '00 -'22 Ø 44,5 1 ring version	RACING
P1927	SUZUKI	PISTONE SUZUKI RM 125 '04 -'12 Ø 54	STANDARD
P2047	GAS GAS	PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45	STANDARD
P2047	HUSQVARNA	PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45	STANDARD
P2047	KTM	PISTONE KTM SX 65 2009 -2022 - GAS GAS MC65 2021-2022 - HUSQV. TC 65 2017-2022 Ø 45	STANDARD
P2063	HONDA	PISTONE HONDA CRF 250R '06 -'09 Compr. 13,5:1 Ø 78	SPORT
P2070	YAMAHA	PISTONE YAMAHA YZ250F 2008-2013 Compr. 13.9:1 H.C. Ø 77	SPORT
P2071	YAMAHA	PISTONE YAMAHA YZ250F 2008-2013 Compr. 13.5:1 O.C. Ø 77	STANDARD
P2086	HONDA	PISTONE HONDA CRF 250R '06 -'09 Compr. 13,1:1 Ø 78	STANDARD
P2110	GAS GAS	PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5	STANDARD
P2110	HUSQVARNA	PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5	STANDARD
P2110	KTM	PISTONE KTM SX 50 2009 -2022 - HUSQV. TC50 2017-2022 - GAS GAS MC50 2021-2022 Ø 39,5	STANDARD
P2116	HONDA	PISTONE HONDA CRF 250R '10 -'13 Compr. 13,2:1 Ø 76,8	STANDARD
P2151	KTM	PISTONE KTM SX 105 '04 -'13 Ø 52	STANDARD
P2154	KTM	PISTONE KTM SX 50 '01 -'08 Ø 39,5	STANDARD
P2155	KTM	PISTONE KTM SX 144 '07- SX 150 '07 -'15 Ø 56	STANDARD
P2160	KTM	PISTONE KTM 250 SX-F 2006 -2012 - 250 EXC-F 2007-2013 Compr. 12,8:1 O.C. Ø 76	STANDARD
P2161	KTM	PISTONE KTM 250 SX-F 2006 -2012 - 250 EXC-F 2007-2013 Compr. 13,3:1 H.C. Ø 76	SPORT
P2162	HONDA	PISTONE HONDA CRF 250R '10 -'13 Compr. 13,2:1 Ø 76,8	STANDARD
P2163	HONDA	PISTONE HONDA CRF 250R '10 -'13 Compr. 14,1:1 Ø 76,8	SPORT
P2164	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2010 Compr. 13,2:1 Ø 77	STANDARD
P2165	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2010 Compr. 13,8:1 Ø 77	SPORT
P2166	SUZUKI	PISTONE SUZUKI RMZ 250 2010-2012 Compr. 13,4:1 O.C. Ø 77	STANDARD
P2167	SUZUKI	PISTONE SUZUKI RMZ 250 2010-2012 Compr. 13,8:1 H.C. Ø 77	SPORT
P2170	YAMAHA	PISTONE YAMAHA YZ450F 2003-2009 / WR 450F 2003-2015 Compr. 12,5:1 O.C. Ø 95	STANDARD
P2171	YAMAHA	PISTONE YAMAHA YZ450F 2003-2009 / WR 450F 2003-2015 Compr. 13,1:1 H.C. Ø 95	SPORT
P2172	SUZUKI	PISTONE SUZUKI LT-R 450 '06-'09 QUADRACER '08 -'12 Compr. 11,7:1 Ø 95,5	STANDARD
P2173	SUZUKI	PISTONE SUZUKI LT-R 450 '06-'09 QUADRACER '08 -'12 Compr. 13,0:1 Ø 95,5	SPORT
P2174	HONDA	PISTONE HONDA CRF450X '02-'17 / CRF450R '04-'08 Compr. 12,1:1 O.C. Ø 96	STANDARD

P2175	HONDA	PISTONE HONDA CRF450X '02-'17 / CRF-450R '04-'08 Compr. 12,5:1 H.C. Ø 96	SPORT
P2176	KAWASAKI	PISTONE KAWASAKI KX450F 2006-2008 - LXE450F 2006-2008 - KLX450R 2008-2011 Compr. 12:1 Ø 96	STANDARD
P2177	KAWASAKI	PISTONE KAWASAKI KX450F 2006-2008 - LXE450F 2006-2008 - KLX450R 2008-2011 Compr. 13:1 Ø 96	SPORT
P2180	SUZUKI	PISTONE SUZUKI RMZ 450 2008 -2012 Compr. 12,2:1 O.C. Ø 96	STANDARD
P2181	SUZUKI	PISTONE SUZUKI RMZ 450 2008 -2012 Compr. 13:1 H.C. Ø 96 PIN-DLC	RACING
P2207	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2011-2014 Compr. 13,5:1 O.C. Ø 77	STANDARD
P2208	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2011-2014 Compr. 14,2:1 H.C. Ø 77	SPORT
P2209	HONDA	PISTONE HONDA CRF 250R '10-'13 Compr. 14,3:1 HHC Ø 76,8	SPORT
P2216	HONDA	PISTONE HONDA CRF 450R '09 -'12 Compr. 12,5:1 Ø 96	STANDARD
P2249	SUZUKI	PISTONE SUZUKI RMZ 250 2013-2015 Compr. 13,5:1 O.C. Ø 77	STANDARD
P2264	HUSABERG	PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78	STANDARD
P2264	HUSQVARNA	PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78	STANDARD
P2264	KTM	PISTONE KTM 250 SX-F 2013-2015 Comp. 13.9:1 O.C. Ø 78	STANDARD
P2265	HUSABERG	PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78	RACING
P2265	HUSQVARNA	PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78	RACING
P2265	KTM	PISTONE KTM 250 SX-F 2013-2015 Comp. 14.3:1 H.C. Ø 78	RACING
P2282	SUZUKI	PISTONE SUZUKI RMZ 450 2013 -2019 Compr. 12,2:1 O.C. Ø 96	STANDARD
P2283	SUZUKI	PISTONE SUZUKI RMZ 450 2013 -2019 Compr. 13:1 H.C. Ø 96	RACING
P2312	HUSQVARNA	PISTONE HUSQVARNA CR-WR 125 1997-2013 Ø 54	STANDARD
P2317	HONDA	PISTONE HONDA CRF 450R '09 -'12 Compr. 13.2:1 H.C. Ø 96	SPORT
P2318	HONDA	PISTONE HONDA CRF 450R '09 -'12 Compr. 13.2:1 H.C. PIN-DLC Ø 96	RACING
P2328	HUSABERG	PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88	STANDARD
P2328	HUSQVARNA	PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88	STANDARD
P2328	KTM	PISTONE KTM 350 SX-F 2011-2015 Compr. 13,6:1 O.C. / EXCF 350 2012-2016 Compr. 12,8:1 H.C. Ø 88	STANDARD
P2329	GAS GAS	PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4	STANDARD
P2329	HUSABERG	PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4	STANDARD
P2329	HUSQVARNA	PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4	STANDARD
P2329	KTM	PISTONE KTM SX-EXC250 2006-2021 - HUSQVARNA TC-TE 250 2014-2022 - GAS GAS EC250 2021-2022 Ø 66,4	STANDARD
P2342	HUSABERG	PISTONE KTM EXC-300 2004-2018 Ø 72	STANDARD
P2342	HUSQVARNA	PISTONE KTM EXC-300 2004-2018 Ø 72	STANDARD
P2342	KTM	PISTONE KTM EXC-300 2004-2018 Ø 72	STANDARD
P2348	HUSQVARNA	PISTONE KTM 350 SX-F 2011-2015 Compr. 14,1:1 H.C. Ø 88	RACING

P2348	KTM	PISTONE KTM 350 SX-F 2011-2015 Compr. 14,1:1 H.C. Ø 88	RACING
P2349	HUSABERG	PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88	STANDARD
P2349	HUSQVARNA	PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88	STANDARD
P2349	KTM	PISTONE KTM 350 EXC-F 2012-2016 Compr. 12,3:1 O.C. Ø 88	STANDARD
P2350	YAMAHA	PISTONE YAMAHA YZ250F 2014-2017 Compr. 13,5:1 O.C. Ø 77	STANDARD
P2351	YAMAHA	PISTONE YAMAHA YZ250F 2014-2017 Compr. 13,9:1 H.C. Ø 77	SPORT
P2352	YAMAHA	PISTONE YAMAHA YZ250F 2014-2017 Compr. 13,9:1 H.C. Ø 77 PIN-DLC	RACING
P2353	YAMAHA	PISTONE YAMAHA YZ450F 2014 -2017 / WR450F 2016-2019 Compr. 12,5:1 O.C. Ø 97	STANDARD
P2355	YAMAHA	PISTONE YAMAHA YZ450F 2014 -2017 / WR450F 2016-2019 Compr. 13,5:1 H.C. Ø 97	SPORT
P2356	YAMAHA	PISTONE YAMAHA YZ450F 2014 -2017 / WR450F 2016-2019 Compr. 13,5:1 H.C. Ø 97 PIN-DLC	RACING
P2367	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 HK RING RACING version	RACING
P2367	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 HK RING RACING version	RACING
P2367	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 HK RING RACING version	RACING
P2380	HONDA	PISTONE HONDA CR250R 1989-1994 Ø 66,4	STANDARD
P2381	HONDA	PISTONE HONDA CR250R 1995-1996 Ø 66,4	STANDARD
P2382	HONDA	PISTONE HONDA CR250R 1997-2001 Ø 66,4	STANDARD
P2383	HONDA	PISTONE HONDA CR250R 2002-2004 Ø 66,4	STANDARD
P2384	HONDA	PISTONE HONDA CR250R 2005-2007 Ø 66,4	STANDARD
P2386	KAWASAKI	PISTONE KAWASAKI KX 250 1992-2001 Ø 66,4	STANDARD
P2387	KAWASAKI	PISTONE KAWASAKI KX 250 2002-2004 Ø 66,4	STANDARD
P2388	KAWASAKI	PISTONE KAWASAKI KX 250 2005-2008 Ø 66,4	STANDARD
P2390	SUZUKI	PISTONE SUZUKI 2T RM250 1996-1997 Ø 66,4	STANDARD
P2391	SUZUKI	PISTONE SUZUKI 2T RM250 1998 Ø 66,4	STANDARD
P2392	SUZUKI	PISTONE SUZUKI 2T RM250 1999 Ø 66,4	STANDARD
P2393	SUZUKI	PISTONE SUZUKI 2T RM250 2000-2002 Ø 66,4	STANDARD
P2394	SUZUKI	PISTONE SUZUKI 2T RM250 2003-2012 Ø 66,4	STANDARD
P2395	YAMAHA	PISTONE YAMAHA YZ250 '99-'22 Ø 66,4	STANDARD
P2398	HONDA	PISTONE HONDA CRF 250R '14-'15 Compr. 13,5:1 O.C. Ø 76,8	STANDARD
P2399	HONDA	PISTONE HONDA CRF 250R '14-'15 Compr. 14,3:1 H.C. Ø 76,8	SPORT
P2400	HONDA	PISTONE HONDA CRF 250R '14-'15 Compr. 14,3:1 H.C. Ø 76,8 PIN-DLC	RACING
P2403	SUZUKI	PISTONE SUZUKI RMZ 250 2013-2015 Compr. 13,5:1 O.C. Ø 77 - spinotto in DLC	RACING

P2431	KAWASAKI	PISTONE KAWASAKI KX 85 2001 - 2022 Ø 48,5 Versione 1 segm. RACING	RACING
P2435	HONDA	PISTONE HONDA CRF450-R '13 -'16 Compr. 12,5:1 O.C. Ø 96	STANDARD
P2436	HONDA	PISTONE HONDA CRF450-R '13 -'16 Compr. 13,2:1 H.C. Ø 96	SPORT
P2437	HONDA	PISTONE HONDA CRF 450-R '13-'16 Compr. 13,2:1 H.C. PIN-DLC Ø 96	RACING
P2462	KAWASAKI	PISTONE KAWASAKI KX 100 '98-'18 Ø 52,5	STANDARD
P2472	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers. 2 segm Ø 54	STANDARD
P2472	HUSABERG	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers. 2 segm Ø 54	STANDARD
P2472	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers. 2 segm Ø 54	STANDARD
P2472	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 vers. 2 segm Ø 54	STANDARD
P2477	KAWASAKI	PISTONE KAWASAKI KX - KXE 125 2003 - 2008 Ø 54	STANDARD
P2481	BETAMOTOR	PISTONE BETAMOTOR RR 250 2T '13-'15 Ø 66,4	STANDARD
P2482	GAS GAS	PISTONE GAS GAS EC/MC/MX 125 2004-2012 Ø 54	STANDARD
P2483	GAS GAS	PISTONE GAS GAS EC/MC/MX 125 2013-2015 Ø 54	STANDARD
P2484	GAS GAS	PISTONE GAS GAS EC 250 2002-2019 Ø 66,4	STANDARD
P2485	BETAMOTOR	PISTONE BETAMOTOR RR 2T 300 '13-'17 D. 72	STANDARD
P2491	HONDA	PISTONE HONDA CRF250R- '16-'17 Compr. 13,8:1 O.C. Ø 76,8	STANDARD
P2492	HONDA	PISTONE HONDA CRF250R- '16-'17 Compr. 14,3:1 H.C. Ø 76,8	SPORT
P2493	HONDA	PISTONE HONDA CRF250R- '16-'17 Compr. 14,3:1 H.C. Ø 76,8	RACING
P2494	GAS GAS	PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78	STANDARD
P2494	HUSQVARNA	PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78	STANDARD
P2494	KTM	PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,4:1 O.C. Ø 78	STANDARD
P2495	GAS GAS	PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78	RACING
P2495	HUSQVARNA	PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78	RACING
P2495	KTM	PISTONE KTM 250 SX-F 2016-2022 / 250 EXC-F 2017-2022 - HUSQVARNA FC250 2016-2022 / FE250 2017-2022 - GAS GAS MC250F 2021-2022 Compr. 14,7:1 H.C. Ø 78	RACING
P2496	GAS GAS	PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88	STANDARD
P2496	HUSQVARNA	PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88	STANDARD
P2496	KTM	PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,0:1 O.C. Ø 88	STANDARD

P2497	GAS GAS	PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88	RACING
P2497	HUSQVARNA	PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88	RACING
P2497	KTM	PISTONE KTM 350 SX-F 2016-2022 / 350 EXC-F 2020-2021 - HUSQVARNA FC350 '16-'22 - GAS GAS EC350F '21-'22 Compr. 14,8:1 H.C. Ø 88	RACING
P2498	GAS GAS	PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95	STANDARD
P2498	HUSQVARNA	PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95	STANDARD
P2498	KTM	PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 12,6:1 O.C. Ø 95	STANDARD
P2499	GAS GAS	PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95	RACING
P2499	HUSQVARNA	PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95	RACING
P2499	KTM	PISTONE KTM SX450F '16-'22 - HUSQVARNA FC450 '16-'22 - GAS GAS MC450F '21-'22 Compr. 13,1:1 H.C. Ø 95	RACING
P2500	SUZUKI	PISTONE SUZUKI RMZ 250 2016-2020 Compr. 13,75:1 O.C. Ø 77	STANDARD
P2501	YAMAHA	PISTONE YAMAHA YZ250F 2016-2018 / WR250F 2018-2019 Compr. 13.5:1 O.C. Ø 77	STANDARD
P2503	YAMAHA	PISTONE YAMAHA YZ250F 2016-2018 / WR250F 2018-2019 Compr. 14.2:1 H.C. Ø 77	RACING
P2510	GAS GAS	PISTONE GAS GAS EC300 2002-2019 Ø 72	STANDARD
P2511	SHERCO	PISTONE SHERCO SE300R 2014-2015 Ø 72	STANDARD
P2520	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2015-2016 Compr. 13,8:1 O.C. Ø 77	STANDARD
P2522	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2015-2016 Compr. 14,3:1 H.C. Ø 77	RACING
P2576	COBRA	PISTONE COBRA CX50 VENOM ENGINE TSB 0518 Ø 39	STANDARD
P2599	HONDA	PISTONE HONDA CRF 450R-CRF 450RX 2017-19 Compr. 13.5:1 O.C. Ø 96	STANDARD
P2600	HONDA	PISTONE HONDA CRF 450R-CRF 450RX 2017-19 Compr. 14,1:1 H.C. Ø 96	RACING
P2609	HUSQVARNA	PISTONE KTM 350 EXC-F 2017-2019 Compr. 12,3:1 O.C. Ø 88	STANDARD
P2609	KTM	PISTONE KTM 350 EXC-F 2017-2019 Compr. 12,3:1 O.C. Ø 88	STANDARD
P2610	HUSQVARNA	PISTONE KTM 350 EXC-F 2017-2019 Compr. 12.8:1 H.C. Ø 88	RACING
P2610	KTM	PISTONE KTM 350 EXC-F 2017-2019 Compr. 12.8:1 H.C. Ø 88	RACING
P2612	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2017-2019 Compr. 13,7:1 O.C. Ø 77	STANDARD
P2613	KAWASAKI	PISTONE KAWASAKI KX250F - KXE250F 2017-2019 Compr. 14,3:1 H.C. Ø 77	RACING
P2614	HUSQVARNA	PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78	STANDARD
P2614	KTM	PISTONE KTM 250 EXC-F 2017-2022 - HUSQVARNA FE250 2017-2022 - GAS GAS EC250F 2021-2022 Compr. 12,8:1 O.C. Ø 78	STANDARD
P2619	KAWASAKI	PISTONE KAWASAKI KX450F 2009-2012 Compr. 12,7:1 O.C. Ø 96	STANDARD
P2620	KAWASAKI	PISTONE KAWASAKI KX450F 2009-2012 Compr. 13,2:1 H.C. Ø 96	SPORT
P2621	KAWASAKI	PISTONE KAWASAKI KX450F 2013-2014 2016-2018 Compr. 12,5:1/12,8:1 O.C. Ø 96	STANDARD

P2622	KAWASAKI	PISTONE KAWASAKI KX450F 2013-2014 2016-2018 Compr. 13,6:1/13,9:1 H.C. Ø 96	SPORT
P2623	KAWASAKI	PISTONE KAWASAKI KX450F 2015 Compr. 12,5:1 O.C. Ø 96	STANDARD
P2624	KAWASAKI	PISTONE KAWASAKI KX450F 2015 Compr. 13:1 H.C. Ø 96	SPORT
P2640	TM RACING	PISTONE TM RACING MX-END 125 2010-2022 Ø 54	STANDARD
P2652	YAMAHA	PISTONE YAMAHA YZ450-F '18-'19 Compr. 12,8:1 O.C. Ø 97	STANDARD
P2656	HONDA	PISTONE HONDA CRF250R- '18-'19 Compr.13.9:1 O.C. Ø 79	STANDARD
P2657	HONDA	PISTONE HONDA CRF250R- '18-'19 Compr.14,5:1 H.C. Ø 79	RACING
P2661	BETAMOTOR	PISTONE BETAMOTOR RR 2T 125 '18-'22 D. 54	STANDARD
P2668	GAS GAS	PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72	STANDARD
P2668	HUSQVARNA	PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72	STANDARD
P2668	KTM	PISTONE KTM EXC300-TPI 2019-2022- HUSQVARNA TE300i - GAS GAS EC300 2021-2022 Ø 72	STANDARD
P2675	SUZUKI	PISTONE SUZUKI RMZ 450 2018 -2022 HHC Compr. 13,4:1 Ø 96 RACING EVO	RACING EVO
P2690	HONDA	PISTONE HONDA CRF250R- '18-'19 Compr. 14,5:1 H.C. Ø 79 Vers. RACING EVO EmmeMotori	RACING EVO
P2704	BETAMOTOR	PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79	STANDARD
P2704	GAS GAS	PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79	STANDARD
P2704	SHERCO	PISTONE GAS GAS TXT300 2002-2022 - BETAMOTOR EVO300 2T 2011-2022 - SHERCO ST-R 300 2011-2022 Ø 79	STANDARD
P2707	YAMAHA	PISTONE YAMAHA YZ65 '18-'22 Ø 43,5	STANDARD
P2708	YAMAHA	PISTONE YAMAHA YZ250F 2019-2022 Compr.13.8:1 O.C. Ø 77	STANDARD
P2709	YAMAHA	PISTONE YAMAHA YZ250F 2019-2022 Compr.14.2:1 H.C. Ø 77	RACING
P2712	TM RACING	PISTONE TM RACING MX85 '15-'22 Ø 47,95	STANDARD
P2713	TM RACING	PISTONE TM RACING MX250Fi 18-'20 O.C. Ø 77	STANDARD
P2724	YAMAHA	PISTONE YAMAHA YZ 85 '19-'22 Ø 47,5	RACING
P2726	KAWASAKI	PISTONE KAWASAKI KX450F 2019-2022 Compr. 12,5:1 O.C. Ø 96	STANDARD
P2727	KAWASAKI	PISTONE KAWASAKI KX450F 2019-2022 Compr. 13,5:1 H.C. Ø 96	RACING
P2728	HONDA	PISTONE HONDA CRF 300 RX 2019 Compr. 13,5:1 O.C. Ø 86	STANDARD
P2729	HONDA	PISTONE HONDA CRF 300 RX 2019 Compr. 14,0:1 H.C. Ø 86	RACING EVO
P2735	GAS GAS	PISTONE GAS GAS TXT 125 2002-2022 Ø 54	STANDARD
P2736	GAS GAS	PISTONE GAS GAS TXT 250 Ø 72,5	STANDARD
P2737	GAS GAS	PISTONE GAS GAS TXT 280 Ø 76	STANDARD
P2740	SHERCO	PISTONE SHERCO SEF-R 300 '16-'22 Ø 84	STANDARD
P2768	YAMAHA	PISTONE YAMAHA YZ450F 2020-2022 Compr. 13:1 O.C. Ø 97	STANDARD

P2770	KAWASAKI	PISTONE KAWASAKI KX250F 2020 Compr. 14,2:1 O.C. Ø 78	STANDARD
P2773	HUSQVARNA	PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58	STANDARD
P2773	KTM	PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58	STANDARD
P2774	HUSQVARNA	PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58 Vers. RACING 1 segmento	RACING
P2774	KTM	PISTONE KTM 150 EXC-TPI 150SX '19-'20 Ø 58 Vers. RACING 1 segmento	RACING
P2775	BETAMOTOR	PISTONE BETAMOTOR RR 2T 250 '18-'22 D. 66,4	STANDARD
P2776	SHERCO	PISTONE SHERCO SE-R 125 '18-'22 Ø 54	STANDARD
P2780	SHERCO	PISTONE SHERCO SE300R 2016-2022 Ø 72	STANDARD
P2789	TM RACING	PISTONE TM RACING EN300Fi '19-'22 Ø 72	STANDARD
P2790	HONDA	PISTONE HONDA CRF250R-CRF250RX '20-'21 Compr. 13.9:1 O.C. Ø 79	STANDARD
P2791	HONDA	PISTONE HONDA CRF250R-CRF250RX '20-'21 Compr. 14.5:1 H.C. Ø 79	RACING
P2797	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. segm 0.8	RACING
P2797	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. segm 0.8	RACING
P2797	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. segm 0.8	RACING
P2798	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. Testa 12°	RACING
P2798	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. Testa 12°	RACING
P2798	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 vers. Testa 12°	RACING
P2805	GAS GAS	PISTONE KTM SX - EXC 85 '09 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD	RACING
P2805	HUSQVARNA	PISTONE KTM SX - EXC 85 '09 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD	RACING
P2805	KTM	PISTONE KTM SX - EXC 85 '09 -'22 - GAS GAS MC 85 2021-2022 - HUSQV. TC85 2014-2022 Ø 47 12° HEAD	RACING
P2806	YAMAHA	PISTONE YAMAHA YZ450F 2020 Compr. 13,8:1 H.C. D. 97	RACING
P2840	TM RACING	PISTONE TM RACING MX 250 FI 2014-2017 D. 77	STANDARD
P2864	YAMAHA	PISTONE YAMAHA 60 ATV ATV YT60L 1984 /TRI-ZINGER - YT60N 1985 / 4-ZINGER - YF60S 1986 D.44	RACING
P2874	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. RETT. VERS. OIL DOTS - RACING EVO	RACING EVO
P2874	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. RETT. VERS. OIL DOTS - RACING EVO	RACING EVO
P2874	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. RETT. VERS. OIL DOTS - RACING EVO	RACING EVO
P2875	GAS GAS	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO	RACING EVO
P2875	HUSQVARNA	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO	RACING EVO

P2875	KTM	PISTONE KTM SX 125 - EXC 125 '01 - '22 HUSQVARNA 125 TC 14-20 TE 14-16 TX 125 '17-'22 - GAS GAS MC 125 '21-'22 Ø 54 1 SEGM. SEMITRAP. VERS. OIL DOTS - RACING EVO	RACING EVO
P2876	BETAMOTOR	PISTONE BETAMOTOR RR 2T 300 '18-'21 D. 72 - FUSO - VERS. OIL DOTS	
P2877	BETAMOTOR	PISTONE BETAMOTOR RR 2T 300 '18-'21 D. 72 - FORGIATO - VERS. OIL DOTS	
P2883	BETAMOTOR	PISTONE BETAMOTOR RR 2T 200 '18-'22 D. 62 VERS. OIL DOTS	
P2888	BETAMOTOR	PISTONE BETAMOTOR RR 2T 300 '21-'22 D. 73 VERS. OIL DOTS	





/mxg

European

CHAMPION

2021

SPIES

Condizioni generali di vendita

Prezzi

I prezzi si intendono per merce resa Franco fabbrica (Ex-Works). Essi non sono impegnativi e possono essere modificati senza preavviso, anche nel corso di una stessa fornitura.

Ordini

Qualsiasi ordine deve riferirsi chiaramente ai dati riportati sul presente catalogo, oltre eventuali riferimenti del cliente. I dati non contemplati o eventuali variazioni personalizzate dovranno essere corredate da campioni o disegni. Qualsiasi ordine, diretto o indiretto, sarà soggetto a nostra conferma d'ordine.

Data di consegna

La data di consegna è indicativa e può essere soggetta ad una ragionevole tolleranza. La mancata consegna per cause di forza maggiore o eventuali ritardi, rispetto alla data di consegna stabilita nella nostra conferma d'ordine, non potranno dare adito a rivalse o richieste di danni da parte del cliente.

Si declina inoltre ogni responsabilità per ulteriori ritardi provocati dalla negligenza del vettore incaricato della spedizione.

Resa

I termini di resa della merce sono da riferirsi agli Incoterms della Camera di Commercio Internazionale (Icc Incoterms). Salvo accordi diversi, la merce è da intendersi resa Ex-Works (Franco fabbrica). Eventuali assicurazioni sono a carico del cliente.

Confezioni ed imballi

I prezzi si intendono sempre al netto delle spese di imballo. Il costo dello stesso sarà addebitato in fattura, separatamente.

Garanzia Reclami e Resi

METEOR PISTON S.R.L. garantisce che i propri prodotti sono venduti senza difetti in materiale e lavorazione per trenta (30) giorni dalla data di acquisto. I prodotti Meteor sono venduti da distributori e rivenditori ufficiali, professionisti del settore. Eventuali reclami sulla qualità del prodotto riscontrata prima dell'uso o su un cattivo funzionamento durante l'utilizzo, saranno accettati esclusivamente dai punti di vendita ufficiali e non da utilizzatori/consumatori privati.

Se siete consumatori privati e desiderate esporre un reclamo, rivolgetevi immediatamente al rivenditore ufficiale da cui avete acquistato il prodotto.

Se il prodotto è riscontrato difettoso da METEOR PISTON S.R.L. tale prodotto sarà sostituito a proprie spese. Tutti i prodotti ritenuti difettosi dall'acquirente dovranno essere restituiti al rivenditore ufficiale, a spese dell'acquirente, entro trenta (30) giorni dal periodo di garanzia.

Questa garanzia non copre costi di manodopera o qualsiasi altra spesa o costo concomitante con la sostituzione del prodotto o di sue parti. Non copre inoltre prodotti soggetti a uso improprio, errato utilizzo o maneggiamento, errata applicazione, negligenza (incluso ma non limitato a inadeguata manutenzione), incidenti, errata installazione, modifica (incluso utilizzo di componenti non autorizzati o non del corredo originale del prodotto),

adattamenti o riparazioni che non siano stati effettuati direttamente da METEOR PISTON S.R.L.. Il solo risarcimento dell'acquirente nei confronti METEOR PISTON S.R.L. sarà quello della sostituzione del prodotto difettoso come dichiarato dalla presente garanzia. Questo unico risarcimento riconosce alla METEOR PISTON S.R.L. di aver assolto al proposito essenziale di questa garanzia nel momento in cui METEOR PISTON S.R.L. può e vuole sostituire la merce difettosa.

QUESTA GARANZIA VALE E SUPERA QUALSIASI ALTRA GARANZIA, ESPRESSA O IMPLICITA, INCLUSA QUELLA DEI RIVENDITORI O PER UNO SCOPO SPECIFICO, NON ESPRESSAMENTE QUI DICHIARATA. QUALSIASI PRODOTTO VENDUTO DA METEOR PISTON S.R.L. MA NON PRODOTTO DA METEOR PISTON S.R.L. NON E' GARANTITO DA METEOR PISTON S.R.L. MA VENDUTO CON LE GARANZIE, SE PRESENTI, DEI PRODUTTORI DELLO STESSO.

La responsabilità di METEOR PISTON S.R.L. (nell'ambito delle legislazioni su garanzie, negligenza o responsabilità civile) per i suoi prodotti si limita alla sostituzione di prodotti riscontrati da METEOR PISTON S.R.L. come difettosi o, per scelta di METEOR PISTON S.R.L., di rimborsare tali prodotti al valore dell'acquisto. In nessun altro modo METEOR PISTON S.R.L. sarà responsabile per danni emergenti o conseguenti derivanti o in relazione al prodotto. Per danni conseguenti si intendono inclusi, e non solo, perdita di utilizzo, di fatturato o entrate, o danni permanenti risultanti da infortuni (incluso morte) a chiunque, o perdita o danni di proprietà.

L'acquirente perde il diritto di qualsiasi reclamo a meno che non segnali per iscritto: (i) entro 15 (quindici giorni) dalla scoperta, o da quando ragionevolmente l'acquirente avrebbe dovuto riscontrare, qualsiasi violazione a questa garanzia o (ii) nei 30 giorni seguenti alla data dell'acquisto. Qualsiasi azione correttiva nei confronti del reclamo ricevuto sarà evasa entro 6 (sei) mesi dalla data del reclamo.

Riserva di proprietà

La merce rimane di proprietà di Meteor Piston s.r.l. sino al pagamento integrale della stessa.

Agenti e concessionari

Non si assumono responsabilità nei confronti dell'operato dei nostri agenti e concessionari, in quanto, nei rapporti commerciali con terzi, essi agiscono in nome proprio e per proprio conto.

Legge applicabile

La legge applicabile è italiana.

Foro competente

Per qualsiasi controversia è competente il Foro giudiziario di Milano.

N.B.

Le suddette condizioni si intendono accettate integralmente e incondizionatamente con l'emissione di ordinazioni scritte o verbali, salvo nostre specifiche deroghe scritte.

General sales conditions

Prices

Prices are Ex-Works. Prices are not binding and may be subject to any modification without prior notice, even all along the same supply.

Orders

Every order must clearly refer to the data reported on this catalogue, in addition to possible customer's references. Samples or drawings should be provided for further details, not reported on the catalogue, or special features on demand.

Any order, either direct or indirect, shall be subject to our confirmation.

Date of delivery

Every date shall not be of essence and may be subject to reasonable tolerance. The purchaser shall be deemed waived of any claims in case delivery was not effected for reasons of Force Majeure.

No claims for damages will be accepted in case of delayed delivery caused by shipping agents in charge of the transport.

Delivery term

Terms of delivery refer to the International Chamber of Commerce Incoterms.

Except for different agreements, goods should be considered as delivered Ex-Works.

Any insurance would be on customer's charge.

Packaging and packing

Prices are always to be considered net of the packing costs. The cost of packing will always be shown on invoice separately.

Warranty, Claims and Returns

METEOR PISTON S.R.L. warrants his products free from defects in material and workmanship for thirty (30) days following date of original purchase.

METEOR PISTON products are sold by professional distributors, dealers and shops official network.

All the eventual claims resulting by quality problems prior assembly or bad functionality during the usage, will be accepted only by our official network that succeeded the sale and never by private consumers.

So if you are a private user and have a warranty claim to submit, get immediately in touch with the dealer/shop who sold you the parts.

If the product is found by METEOR PISTON S.R.L. to be defective, such products will be replaced at its own cost. All products alleged by Purchaser to be defective must be returned to METEOR PISTON's official seller, postage prepaid, within thirty (30) days warranty period. This limited warranty does not cover labor or other costs or expenses incidental replacement of products or parts. This limited warranty does not apply to any product which is subject to misuse, mishandling, misapplication, neglect (including but not limited to improper maintenance), accident, improper installation, modification (including but not limited to use of unauthorized parts or attachments), or adjustment or repair performed by anyone other than METEOR PISTON S.R.L.. The purchaser's sole and exclusive remedy against METEOR PISTON S.R.L. shall be for the replacement of the defective

product as provided in this limited warranty. This exclusive remedy shall not be deemed to have failed of its essential purpose so long as METEOR PISTON is willing and able to replace defective goods.

THIS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOT EXPRESSLY SET FORTH HEREIN. ANY PRODUCT WHICH MAY BE SOLD BY METEOR PISTON S.R.L. BUT WHICH IS NOT MANUFACTURED BY METEOR PISTON IS NOT WARRANTED BY METEOR PISTON, BUT IS SOLD ONLY WITH THE WARRANTIES, IF ANY, OF THE MANUFACTURERS THEREOF.

METEOR PISTON's liability (whether under the theories of warranty, negligence or strict liability) for its products shall be limited to replacing parts found by METEOR PISTON to be defective, or at METEOR PISTON'S option, to refund the purchase price of such product. In no event shall METEOR PISTON be liable for incidental or consequential damages arising out of or in connection with the product. Consequential damages shall include, without limitation, loss of use, income or profit, or losses sustained as the result of injury (including death) to any person, or loss of or damage to property.

Any claim by purchaser regarding this product shall be deemed waived by the purchaser unless submitted in writing to METEOR PISTON within the earlier of (i) fifteen (15) days following the date Purchaser discovered, or by reasonable inspection should have discovered, any claimed breach of this limited warranty, or (ii) thirty (30) days following the date of original purchase. Any cause of action for breach of this limited warranty shall be brought within six months from the date the alleged breach was discovered or should have been discovered, whichever occurs first. This limited warranty gives you specific legal rights, and you may also have other rights which vary from country to country.

Retention of property

Any goods shall remain the property of Meteor Piston S.r.l. until their full payment.

Agents and dealers

We shall not be liable for the behaviour of our agents and dealers since, dealing with third parties, they act on their own.

Applicable Law


Applicable law of Italy

Law court

Any and all disputes shall be exclusively submitted to the Law Court of Milan.

N.B. The above mentioned conditions shall be considered fully and unconditionally approved when placing any orders, either oral or written, except for any specific derogation written by us.

Notes





METEOR PISTON Srl
Via Monte Amiata, 9/11
20021 Baranzate (MI) - Italy

phone +39 02 3561634
fax +39 02 3560802
info@meteorpiston.com
www.meteorpiston.com
www.meteorpistonracing.com



go to our website



Follow us on Youtube



meteor piston



@meteorpistonracing

